



# Chinese Pressure Vessel Regulations Compliant Product Air Tank for Booster Regulator

## Compliant with Chinese pressure vessel regulations

Safety and Technical Regulations


TSG R0003-2007  
Simple Pressure Vessels Safety and  
Technical Regulations

## Regulations compliant product Safety valve/Pressure gauge set and product certificate are included.



## Four kinds of tank capacities are available: 5 L/10 L/22 L/38 L (Carbon steel)

## Compact connections are possible with booster regulators.



Compatible  
with all series

## Overseas Standards Variations\*

Law	Main country/region	Details	Tank capacity
CE Marking Simple Pressure Vessels Directive	EU	Declaration of Conformity attached	5 L/10 L/22 L/38 L
Occupational Safety and Health Act	South Korea	Compliant product safety certificate attached	5 L/10 L/22 L/38 L

\* Refer to Best Pneumatics No. 5 for details.

# VBAT-X104

How to Order

VBAT 05 A1 - U - X104

Tank capacity

Symbol	Internal capacity
05	5 L
10	10 L
20	22 L
38	38 L

Chinese pressure vessel regulations compliant product

Safety valve/Pressure gauge set

Symbol	Applicable model
U	VBAT05A1, VBAT10A1
T	VBAT20A1, VBAT38A1

Note) When a drain valve is required, please order it separately.  
Drain valve part no.: VBAT-V1



Specifications

Series	VBAT05A1	VBAT10A1	VBAT20A1	VBAT38A1
Tank capacity	5 L	10 L	22 L	38 L
Max. operating pressure	1.5 MPa		1.0 MPa	
Ambient and fluid temperature	0 to 75°C			
Weight	6.6 kg	11.5 kg	15.0 kg	26.0 kg
Material	Carbon steel			
Paint	Outside: Silver gray Inside: Phosphate coated treatment			
Included parts	<ul style="list-style-type: none"><li>● Safety valve/Pressure gauge set: Safety valve, Pressure gauge, Piping for tank connections</li><li>● Accessories: O-ring, Drain port plug, VBA connection thread (4 pcs.), Anchor bolt/nut (4 pcs.: only 22 L/38 L)</li><li>● Product certificates: Product certificate, Product safety performance supervision test certificate, Product weight certificate, Manufacture license, Product manual, Completion drawing</li><li>● Operation manual</li></ul>			

## Dimensions



### VBAT05A1-U-X104

Safety valve/Pressure gauge set  
(Supplied with product)




### VBAT10A1-U-X104


Safety valve/Pressure gauge set  
(Supplied with product)




Safety valve/  
Pressure gauge set  
(Supplied with product)



Connected to VBA20A




Connected to VBA22A




# VBAT-X104

## Dimensions

### VBAT20A1-T-X104



### VBAT38A1-T-X104



## ⚠ Caution

Before using the product, it is necessary to get the approval from the government offices in the relevant region in accord with the Chinese Pressure Vessel Act. For items details, refer to the contents of Regulations on Safety Supervision of Special Equipment in China.



To ensure the safest possible operation of this product, please be sure to thoroughly read the “Safety Instructions” in our “Best Pneumatics” catalog before use.