

## Pneumatic Drip Leg

# Protect Your Equipment from Water Damage

- Simple, effective water removal
  Reduced air velocity from line allows water
  droplets to fall out of the air stream and
  collect for discharge
- Durable welded carbon steel construction
- Easy to incorporate as part of a machine drop from an overhead distribution line
- NPT or G thread models available

#### **Specifications**


Max. Working Pressure	150 psig (1.0 MPa)			
Proof Pressure	220 psig (1.5 MPa)			
Material	Carbon Steel			

#### **Part Numbers**

In/Out Connection	Model N	umber			
Size	NPTF	ISO G			
1/2"	FAPP-T04-DUP01533	FAPP-04-DDL00026			
3/4"	FAPP-T06-DUP01534	FAPP-06-DDL00006			
1"	FAPP-T10-DUP01535	FAPP-08-DDL00007			
1-1/2"	FAPP-T14-DUP01536	FAPP-12-DDL00008			
2"	FAPP-T20-DUP01537	FAPP-16-DDL00012			



### SMC Pneumatic Drip Leg





Shown with AD402-A Auto Drain

Model Number	Body OD A		Outlet Face to C/L B		OAL C		Outlet Offset from Top D		IN/Out Port	Drain Port
	in	mm	in	mm	in	mm	in	mm	l	1 011
FAPP-T04-DUP01533	1.73	44	1.93	49				128	NPT 1/2"	NPT 3/8"
FAPP-T06-DUP01534	2.36	60	2.36	60	14.96	380	5.04		NPT 3/4"	
FAPP-T10-DUP01535	2.99	76	2.83	72			3.04		NPT 1"	
FAPP-T14-DUP01536	4.49	114	3.82	97	17.91	455			NPT 1-1/2"	
FAPP-T20-DUP01537	5.98	152	4.57	116	18.31	465	6.02	153	NPT 2"	
FAPP-04-DDL00026	1.73	44	1.89	48		380	5.04	128	G 1/2"	G 3/8"
FAPP-06-DDL00006	2.36	60	2.36	60	14.96				G 3/4"	
FAPP-08-DDL00007	2.99	76	2.83	72					G 1"	
FAPP-12-DDL00008	4.49	114	3.82	97	17.91	455			G 1-1/2"	
FAPP-16-DDL00012	6.06	154	4.53	115	18.31	465	6.02	153	G 2"	

#### **Related Products**

Description	Connection	Part Number		
Float Type Auto	NPT 3/8"	AD402-N03C-2Z-A		
Drain Vavle - N.C.	G 3/8"	AD402-F03C-2-A		
Float Type Auto Drain Vavle - N.O.	NPT 3/8"	AD402-N03D-2Z-A		
	G 3/8"	AD402-F03D-2-A		
Timer Drain Valve	NPT 3/8"	ADM200-N03		
	G 3/8"	ADM200-F03		
Heavy Duty	NPT 1/2"	ADH400C-N04		
Auto Drain	G 1/2"	ADH400C-F04		

YV-RRD-2.5M

SMC Corporation of America 10100 SMC Blvd. Noblesville, IN 46060

(800) SMC.SMC1 (762 - 7621)

(655) 511151511151 (152 1521)