Compact Direct Operated 2/3 Port Solenoid Valve for Water and Air

Series VDW

VDW10/20/30: 2 Port, VDW200/300: 3 Port



VX2

VXZ

VXE

VXP

VXR

VXH

VXF

VX3

VXA

VCH_ VDW

VQ

LVM VCA

VUA

VCB

VCL

VCW

Molded coil specifications have been added!






Compact / Lightweight
(as compared to the VX series)
Single valve volume: Reduced by -75% (VDW)

Single valve volume: Reduced by –75% (VDW20)

100 g: Reduced approx. by –50%
(for orifice diameter equivalent to Ø2)



Grommet/Molded

Faston[™] terminal Note / Molded


For Water and Air Compact Direct Operated 2/3 Port Solenoid Valve

Series VDW

• Compact (as compared to the VX series)
Single valve volume: Reduced by -75% (VDW20)
Manifold length: Reduced by -18% (VDW30, 7 stations)

• Lightweight (as compared to the VX series)
100 g: Reduced approx. by -50%

(for orifice diameter equivalent to ø2)



Improved durability (Nearly twice the life of the previous series)

Clip type

The use of a unique magnetic material reduces the operating resistance of moving parts, while improving service life, wear and corrosion resistance.

Improved corrosion resistance

Special material introduced

High flow rate: Cv factor 0.04 to 0.46 (2 port)

Universal porting VDW200/300 (3 port)


Ease of maintenance has been improved.

Changing of the coil is made easy by means of clip design. (2 port)

Threaded assembly

Simplifies maintenance.

Brass (C37)/Stainless steel manifolds added to series (2 port)



Improved environment resistance


Environment resistance is improved by using a molded coil. (Enclosure IP65 or equivalent, grommet mold)

Threaded for bottom mounting

Special bracket can be mounted



Grommet/Molded



Compact Direct Operated 2 Port Solenoid Valve for Water and Air Series VDW10/20/30

Series VDW10/20 have been remodeled to achieve the compact and lightweight design. When selecting these models, please consider the new VDW10/20 series.

VX2

VXD VXZ

VXE

VXP

VXR

VXH

VXF

VX3

VXA

VCH□

VDW

VQ

LVM

VCA


VCB

VCL


VCS

VCW

How to Order Valves (Single Unit)



Magnet wire protection: Tape winding Magnet wire protection: Resin Molded



Series and Coil Type Combinations

Series	Grommet / Tape winding	Faston terminal / Molded	Grommet / Molded
10	•	_	•
20	•	•	•
30	•	•	•

ø	P	or	t s	ize
---	---	----	-----	-----

Symbol	Port size	Series			
Symbol	Port Size	10	20	30	
M5	M5	0	0	_	
01	1/8 (6A)	_	0	0	
02	1/4 (8A)	_	_	0	

Orifice diameter

- Offfice diameter							
Symbol	Orifice diameter (mm ø)	Series					
1	1	10					
2	1.6	10					
1	1.6						
2	2.3	20					
3	3.2						
2	2						
3	3	30					
4	4						





Made to Order (For details, refer to page 259.)

Symbol	Specifications
X22	Non-leak (10 ⁻⁶ Pa⋅m³/sec) / Vacuum (0.1Pa⋅abs) specification
X23	Oil-free specification
X60	Lead wire length: 600 mm specification
X133	Seal material: Kalrez® specification Note)

Note) Kalrez $^{\circ}$ is a registered trademark of DuPont Dow Elastomers.

Standard Specifications

	Valve const	ruction	Direct operated poppet		
န	Fluid Note 2)		Water (except waste water or agricultural water), Air, Low vacuum		
ē	Withstand pressure (MPa)		2.0		
ig	Ambient temperature (°C)		-10 to 50		
specifications	Fluid tempe	erature (°C)	1 to 50 (No freezing)		
	Environmer	nt	Location without corrosive or explosive gases		
Valve	Valve leakage (cm³/min)		0 (with water pressure) 1 or less (Air)		
>	Mounting orientation		Unrestricted		
	Vibration/Impact (m/s²) Note 4)		30/150		
Su	Rated volta	ge	24 VDC, 12 VDC, 6 VDC, 5 VDC, 3 VDC, 100 VAC, 110 VAC, 200 VAC, 220 VAC (50/60 Hz)		
specifications	Allowable v	oltage fluctuation (%)	±10% of rated voltage		
i <u>i</u>	Coil insulat	ion type	Class B		
ခွင		Grommet / Tape winding	Dust-proof (equivalent to IP40)		
i s	Enclosure	Faston terminal / Molded	Dust-tight (equivalent to IP60) Note 5)		
Coil		Grommet / Molded	Dust-tight / Low jetproof (equivalent to IP65)		
	Power cons	sumption (W) Note 3)	2.5 (VDW10), 3 (VDW20/30)		



- Note 1) When used under conditions which may cause condensation on the exterior of the product, select Grommet / Molded.
- Note 2) When used with deionized water, select "L" (Stainless steel, FKM) for the material type.
- Note 3) Since the AC coil specification includes a rectifier element, there is no difference in power consumption between inrush and holding.

In the case of 110/220 VAC, the VDW10 is 3 W and the VDW20/30 is 3.5 W.

Note 4) Vibration resistance ····· No malfunction when tested with one sweep of 5 to 200 Hz in the axial direction and at a right angle to the armature, in both energized and deenergized states.

Impact resistance ······· No malfunction when tested with a drop tester in the axial direction and at a right angle to the armature, one time each in energized and deenergized states.

Note 5) Since electrical connections are exposed, there is no water resistance.

Characteristic Specifications

Model	Port size	Orifice dia.		ing pressure (MPa) Note 1)	Operating Pressure range	Mass (kg)	
		(11111111111111111111111111111111111111	Pressure port 1	Pressure port 2	(MPa) Note 2)		
VDW10	M5	1	0.9	0.4		0.08	
VDWIO	IVIO	1.6	0.4	0.2		0.06	
	M5 1/8 (6A)	1.6	0.7	0.2			
VDW20		2.3	0.4	0.1	0 to 1.0	0.1	
		3.2	0.2	0.05	0 10 1.0		
	4/0 (0.4)	2	0.8	0.2			
VDW30	1/8 (6A) 1/4 (8A)	3	0.4	0.1		1/8: 0.23 1/4: 0.26	
	1/4 (OA)	4	0.2	0.05		1/4. 0.20	



Note 1) The maximum operating pressure differential changes depending on the flow direction of the fluid. Refer to page 264 for details.

Note 2) For low vacuum specifications, the operating pressure range is 1 Torr (1.33 x 10^2 Pa) to 1.0 MPa.

Please consult with SMC if using below 1 Torr (1.33 x 10^2 Pa).

Flow Characteristics


		Orifice dia.		Water		Air		
Model	Port size	(mm ø)	1→2 (IN	l→N.C.)	1→2 (IN→N.C.)			
		N.C.	Av x 10 ⁻⁶ m ²	Cv converted	C [dm ³ /(s-bar)]	b	Cv	
VDW10	M5	1	0.96	0.04	0.14	0.40	0.04	
VDWIO	CIVI	1.6	1.7	0.07	0.30	0.25	0.07	
	M5 1/8 (6A)	1.6	1.9	0.08	0.31	0.45	0.09	
VDW20		2.3	4.3	0.18	0.58	0.45	0.18	
		3.2	7.2	0.30	1.2	0.38	0.33	
	4 (0 (0 1)	2	3.8	0.16	0.52	0.52	0.16	
VDW30	1/8 (6A) 1/4 (8A)	3	6.7	0.28	1.0	0.52	0.30	
	1/4 (OA)	4	11	0.44	1.5	0.49	0.46	




Compact Direct Operated 2 Port Solenoid Valve for Water and Air Series VDW10/20/30


Construction

VDW11



VDW21





Component Parts

COI	omponent raits							
No.	Description	N	Material					
INO.	Description	Standard	Option					
1	Body	Brass (C37)	Stainless steel					
2	Tube assembly	Stainless steel	-					
3	Coil assembly	_	-					
4	Armature assembly	Stainless steel, PPS, NBR	FKM, EPDM					
5	O-ring (Body)	NBR	FKM, EPDM					
6	Return spring	Stainless steel	-					
7	Cover	SPCE	-					
8	Clip	Stainless steel	_					

VX2

VXD

VXZ VXE

VXP

VXR

VXH

VXF VX3

VXA

VCH□

VDW VQ

LVM

VCA

VCB

VCL

Series VDW10/20/30


Dimensions

VDW11-□^G_w VDW21-□w Lead wire Lead wire ∕ℓ Approx. 300 **ℓ** Approx. 300 27 27 2 Rectifier Rectifier element element 20 AC type 2 x ø3.5 2 x ø3.2 AC type 20 ø20.5 ø17 26 84 M5, 1/8 M5, 1/8 1 (IN) port 1 (IN) port 2 (OUT) port 2 (OUT) port

2 x M3 x 5

VDW31-□^G_W


2 x M2.5 x 3.5




Compact Direct Operated 2 Port Solenoid Valve for Water and Air Series VDW10/20/30


Dimensions


VDW21-□F







8 25





4 x ø5





Bracket assembly part no.

• Series 20

VDW20-15A-1

• Series 30

VCW20-12-01A

VX2

VXD

VXZ **VXE**

VXP

VXR

VXH

VXF

VX3

VXA

1 (IN) port

VCH□

VDW VQ

LVM

VCA

VCB


VCL

VCS


Series VDW10/20/30

How to Order Manifold





How to Order Valves (For Manifold)



^{*} Please consult with SMC regarding other voltages.


Grommet / Molded About series and coil type combinations, refer to page 243.

Symbol	Symbol Orifice diameter (mmø)			
1	1	10		
2	1.6	10		
1	1.6			
2	2.3	20		
3	3.2			
2	2			
3	3	30		
4	4			

Manifold Options


Blanking plate assembly

• Series 10, 20



^{*} Plate material is stainless steel only

Series 30




Symbol	Plate material	Seal material		
G		NBR		
Н	Stainless steel	FKM		
J		EPDM		




Compact Direct Operated 2 Port Solenoid Valve for Water and Air Series VDW10/20/30


Dimensions


VV2DW1






D side







L Dimension									(mm)	
Dimension		n (stations)								
Dimension	2	3	4	5	6	7	8	9	10	
L1	35	52.5	70	87.5	105	122.5	140	157.5	175	
L2	45	62.5	80	97.5	115	132.5	150	167.5	185	
L3	52	69.5	87	104.5	122	139.5	157	174.5	192	
Manifold composition	2 stns. x 1	3 stns. x 1	2 stns. x 2	2 stns. + 3 stns.	3 stns. x 2	2 stns. x 2 + 3 stns.	2 stns. + 3 stns. x 2	3 stns. x 3	2 stns. x 2 + 3 stns. x 2	

Note) Manifold base is consisted of the junction of 2 and 3 station bases. Refer to page 252 and 253 regarding manifold additions.



VX2

VXD VXZ

VXE

VXP

VXR

VXH

VXF

VX3

VXA

VCH□ VDW

VQ

LVM

VCA

VCB


VCL

VCS

Series VDW10/20/30


Dimensions

VV2DW2




L Dimension (mm) n (stations) Dimension L1 L2 L3 Manifold composition 2 stns. x 1 3 stns. x 1 2 stns. x 2 3 stns. x 3 stns.








Compact Direct Operated 2 Port Solenoid Valve for Water and Air Series VDW10/20/30

VV2DW3









L Dimension									(mm)		
Dimension		n (stations)									
	2	3	4	5	6	7	8	9	10		
L1	70	105	140	175	210	245	280	315	350		
L2	82	117	152	187	222	257	292	327	362		
L3	94	129	164	199	234	269	304	339	374		
Manifold composition	2 stns. x 1	3 stns. x 1	2 stns. x 2	2 stns. + 3 stns.	3 stns. x 2	2 stns. x 2 + 3 stns.	2 stns. + 3 stns. x 2	3 stns. x 3	2 stns. x 2 + 3 stns. x 2		

Note) Manifold base is consisted of the junction of 2 and 3 station bases. Refer to page 252 and 253 regarding manifold additions. VXZ

VX2

VXD

VXE

VXP

VXR

VXH

VXF

VX3

VXA

VCH□ VDW

VQ

LVM

VCA

VCB


VCL

VCS

vcw

Series VDW10/20/30

Manifold Exploded View



Manifold additions


1 Install a passage pipe assembly in between the manifold bases to be added.


 $\stackrel{ extstyle e$

Note) Manifold can be increased by every 2 or 3-station unit.

Order one set each of manifold base, connection plate assembly and passage pipe assembly.

Compact Direct Operated 2 Port Solenoid Valve for Water and Air Series VDW10/20/30





Stations •

For 2 stations

2 For 3 stations

NPT

Port size

1/8 (6A)


1/4 (8A)

OUT port size


Symbol

01

02





Series 30VVCW20-5A



Series 30VVCW20-4A

<Passage pipe assembly>





SMC

253

VXD

VXZ

VXE

VXP

VXR

VXH

VXF

VX3

VXA

VCH

VDW

VQ

LVM

VCA

VCB

VCL


VCS

Compact Direct Operated 3 Port Solenoid Valve for Water and Air

Series VDW200/300

(E

How to Order Valves (Single Unit)



Magnet wire protection: Resin Molded

4

Compact Direct Operated 3 Port Solenoid Valve for Water and Air Series VDW200/300



Made to Order

Made to Order (For details, refer to page 259.)

Symbol	Specifications
X22	Non-leak (10 ⁻⁶ Pa⋅m³/sec) / Vacuum (0.1Pa⋅abs) specification
X23	Oil-free specification
X60	Lead wire length: 600 mm specification
X133	Seal material: Kalrez® specification Note)

Note) Kalrez® is a registered trademark of DuPont Dow Elastomers.

Standard Specifications

	Valve const	ruction	Direct operated poppet	
,	Fluid Note 2)		Water (except waste water or agricultural water), Air, Low vacuum	
ioi	Withstand pressure (MPa)		2.0	
icat	Ambient temperature (°C)		-10 to 50	
specifications	Fluid tempe	erature (°C)	1 to 50 (No freezing)	
ds e	Environme	nt	Location without corrosive or explosive gases	
Valve	Valve leakage (cm³/min)		0 (with water pressure) 1 (Air)	
>	Mounting orientation		Unrestricted	
	Vibration/Impact (m/s ²) Note 4)		30/150	
	Rated voltage		24 VDC, 12 VDC, 100 VAC, 110 VAC, 200 VAC, 220 VAC (50/60 Hz)	
ons	Allowable v	oltage fluctuation (%)	±10% of rated voltage	
specifications	Coil insulat	ion type	Class B	
ij.		Grommet / Tape winding	Dust-proof (equivalent to IP40)	
		Faston terminal / Molded	Dust-tight (equivalent to IP60) Note 5)	
Soil		Grommet / Molded	Dust-tight / Low jetproof (equivalent to IP65)	
	Power cons	sumption (W) Note 3)	3	



- Note 1) Please consult with SMC when used under conditions which may cause condensation on the exterior of the product.
- Note 2) When used with deionized water, select "L" (Stainless steel, FKM) for the material type.
- Note 3) Since the AC coil specification includes a rectifier element, there is no difference in power consumption between inrush and holding.

3.5 W in the case of 110/220 VAC

- Note 4) Vibration resistance ····· No malfunction when tested with one sweep of 5 to 200 Hz in the axial direction and at a right angle to the armature, in both energized and deenergized states.
 - Impact resistance No malfunction when tested with a drop tester in the axial direction and at a right angle to the armature, one time each in energized and deenergized states.
- Note 5) Since electrical connections are exposed, there is no water resistance.

Characteristic Specifications

Model Port size		Orifice dia.		rating pressure al (MPa) Note 2)	Operating pressure range	Mass (kg)	
		(111111 2)	Pressure port 1	Pressure port 2, 3 Note 1)	(MPa) Note 3)	(Ng)	
VDW200	M5	1	0.9	0.3	0 to 1.0	0.12 1/8: 0.27 1/4: 0.30	
VDVV200	1/8 (6A)	1.6	0.7	0.1			
		2	0.8	0.2			
VDW300	1/8 (6A) 1/4 (8A)	3	0.4	0.1			
	171 (071)	4	0.2	0.05			



- Note 1) Indicates the maximum operating pressure differential of pressure ports 2 and 3.
- Note 2) The maximum operating pressure differential changes depending on the flow direction of the fluid. Refer to page 264 for details.

Note 3) For low vacuum specifications, the operating pressure range is 1 Torr (1.33 \times 10 2 Pa) to 1.0 MPa.

Please consult with SMC if using below 1 Torr (1.33 x 10^2 Pa).

Flow Characteristics

		Orifice dia.		Water			Air						
Model Port size	(mm ø)		1→2 (IN→N.C.) 1→3 (IN→I		N.O.)	1→2 (IN→N.C.)			1→3 (IN→N.O.)		,		
		N.C.	N.O.	Av x 10 ⁻⁶ m ²	Cv converted	Av x 10 ⁻⁶ m ²	Cv converted	C [dm ³ /(s·bar)]	b	Cv	C [dm ³ /(s·bar)]	b	Cv
VDW200	M5	1		0.72	0.03	0.00	0.04	0.12	0.35	0.03	0.40	0.50	0.04
1/8 (6A)	1.6	'	1.9	0.08	0.96	0.04	0.31	0.45	0.09	0.13	0.52	0.04	
		2		3.8	0.16			0.52	0.52	0.16			
VDW300	DW300 1/8 (6A) 1/4 (8A)	3	1.8	6.7	0.28	3.1	0.13	1.0	0.52	0.30	0.38	0.50	0.12
1/4 (8A)	4		11	0.44			1.5	0.49	0.46				



VX2

VXD VXZ

VXE

VXP

VXR

VXH

VXF

VX3

VXA

VCH□ VDW

VQ

LVM

VCA


VCB VCL


vcs

Series VDW200/300

Construction

VDW250






Component Parts

No.	Description	Material				
INO.	Description	Standard	Option			
1	Body	Brass (C37)	Stainless steel			
2	Tube assembly	Stainless steel	_			
3	Coil assembly	_	_			
4	Armature assembly	Stainless steel, PPS, NBR	Stainless steel, PPS, FKM, EPDM			
5	O-ring (Body)	NBR	FKM, EPDM			
6	Return spring	Stainless steel	_			
7	Cover	SPCE	_			
8	Socket	C36	Stainless steel			
9	O-ring	NBR	FKM, EPDM			
10	Plate	SPCC				
11	Wave washer	Stainless steel	_			

Compact Direct Operated 3 Port Solenoid Valve for Water and Air Series VDW200/300

Dimensions



Bracket assembly part no.

• Series 200

VDW20-15A-1

• Series 300

VCW20-12-01A

VX2

VXD

VXZ

VXE VXP

VXR

VXH

VXF

VX3

VXA

VCH□

VDW VQ

LVM

VCA

VCB


VCL


VCS


Series VDW200/300

Dimensions


VDW250-□F














12.8



Bracket assembly part no.

2 x M3 x 5

• Series 200

VDW20-15A-1

• Series 300


VCW20-12-01A

_15

Series VDW Made to Order Specifications:



Please consult with SMC for detailed size, specifications and delivery.





VCL

VCS



Be sure to read this before handling.

Refer to front matters 42 and 43 for Safety Instructions, and pages 17 to 19 for 2 Port Solenoid Valves for Fluid Control Precautions.

Design

⚠ Warning

1. Cannot be used as an emergency shutoff valve, etc.

The valves presented in this catalog are not designed for safety applications such as an emergency shutoff valve. If the valves are used in this type of system, other reliable safety assurance measures should also be adopted.

2. Extended periods of continuous energization

Please consult with SMC when using with energization for long periods of time.

3. Liquid rings

In cases with a flowing liquid, provide a by-pass valve in the system to prevent the liquid from entering the liquid seal circuit.

4. This solenoid valve cannot be used for explosion proof applications.

5. Maintenance space

The installation should allow sufficient space for maintenance activities (removal of valve, etc.).

Selection

⚠ Warning

1. Confirm the specifications.

Give careful consideration to the operating conditions such as the application, fluid and environment, and use within the operating ranges specified in this catalog.

2. Fluid temperature

Please use within the operating fluid temperature range.

3. Fluid quality

In the case of water

The use of a fluid which contains foreign matter can cause problems such as malfunction and seal failure by promoting wear of the valve seat and armature, and by sticking to the sliding parts of the armature, etc. Install a suitable filter (strainer) immediately upstream from the valve. In general, a mesh of about 80 to 100 is a guideline for the filter.


In the case of air

Please use ordinary compressed air where a filter of 40 μ m or less is provided on the inlet side piping. (Except dry air)

⚠ Caution

1. Leakage voltage

Particularly when using a resistor in parallel with a switching element and using a C-R element (surge voltage suppressor) to protect the switching element, take note that leakage current will flow through the resistor, C-R element, etc., creating a possible danger that the valve may not turn off.



AC coil

10% or less of rated voltage



2% or less of rated voltage

2. Low temperature operation

- The valves can be used up to an ambient temperature of -10°C, however take measures to prevent solidification of impurities or freezing etc.
- 2) When using valves for water application in cold climates, first stop the water supply/discharge of the pump etc., and then take measures to prevent freezing such as draining water in pipe. When heating by steam, be careful not to expose the coil portion to steam. Also, please take measures to prevent freezing such as heating the body.





Be sure to read this before handling.

Refer to front matters 42 and 43 for Safety Instructions, and pages 17 to 19 for 2 Port Solenoid Valves for Fluid Control Precautions.

Mounting

Marning

1. If air leakage increases or equipment does not operate properly, stop operation.

After mounting is completed, confirm that it has been done correctly by performing a suitable function test.

2. Do not apply external force to the coil section.

When tightening is performed, apply a wrench or other tool to the outside of the piping connection parts.

Do not warm the coil assembly with a heat insulator, etc.

Use tape, heaters, etc., for freeze prevention on the piping and body only. They can cause the coil to burn out.

- 4. Secure with brackets, except in the case of steel piping and copper fittings.
- Avoid sources of vibration, or adjust the arm from the body to the minimum length so that resonance will not occur.
- 6. Instruction manual

The product should be mounted and operated after the instruction manual is thoroughly read and its contents are understood. Keep the instruction manual where it can be referred to as needed.

7. Painting and coating

Warnings or specifications printed or labeled on the product should not be erased, removed or covered up. **Piping**


⚠ Caution

1. Preparation before piping

Before piping is connected, it should be thoroughly blown out with air (flushing) or washed to remove chips, cutting oil and other debris from inside the pipe.

2. Wrapping of pipe tape

When connecting pipes, fittings, etc., be sure that chips from the pipe threads and sealing material do not enter the valve. Furthermore, when pipe tape is used, leave 1.5 to 2 thread ridges exposed at the end of the threads.



- 3. Avoid connecting ground lines to piping, as this may cause electric corrosion of the system.
- 4. Always tighten threads with the proper tightening torque.

When attaching fittings to valves, tighten with the proper tightening torque shown below.

Tightening Torque for Piping

Connection threads	Proper tightening torque N•m (kgf•cm)
M5	1.5 to 2 (15 to 20)
Rc 1/8	7 to 9 (70 to 90)
Rc 1/4	12 to 14 (120 to 140)
Rc 3/8	22 to 24 (220 to 240)

* Reference

Tightening of M5 fitting threads

After tightening by hand, tighten approximately 1/6 turn further with a tightening tool. However, when using miniature fittings, tighten an additional 1/4 turn after tightening by hand. (In cases where there are gaskets in two places, such as a universal elbow or universal tee, double the additional tightening to 1/2 turn.)

5. Connection of piping to products

- When connecting piping to a product, refer to its instruction manual to avoid mistakes regarding the supply port, etc.
- Do not apply external force to the coil when holding it to connect piping, as the tube may deform.

VX2

VXD

VXZ

VXE

VXP

VXR

VXH VXF

VX3

....

VXA VCH

VDW

VQ

LVM

VCA

VCB

VCL

vcs vcw



Be sure to read this before handling.

Refer to front matters 42 and 43 for Safety Instructions, and pages 17 to 19 for 2 Port Solenoid Valves for Fluid Control Precautions.

Wiring

⚠ Caution

1. As a rule, use electrical wire with a cross sectional area of 0.5 to 1.25 mm² for wiring.


Furthermore, do not allow excessive force to be applied to the lines.

- 2. Use electrical circuits which do not generate chattering in their contacts.
- 3. Use voltage which is within $\pm 10\%$ of the rated voltage.

In cases with a DC power supply where importance is placed on responsiveness, stay within $\pm 5\%$ of the rated value. The voltage drop is the value in the lead wire section connecting the coil.

Electrical Connections

⚠ Caution




Dotad valtage	Lead wire color			
Rated voltage	1	2		
DC	Black	Red		
100 VAC	Blue	Blue		
200 VAC	Red	Red		
Other AC	Gray	Gray		

- * There is no polarity for DC
- * Lead wire: AWG20, outside diameter of insulator 1.79

Electrical Circuit





Operating Environment

Marning

- 1. Do not use the valves in an atmosphere having corrosive gases, chemicals, salt water, water, steam, or where there is direct contact with any of these.
- 2. Do not use in explosive atmospheres.
- Do not use in locations subject to vibration or impact.
- 4. Do not use in locations where radiated heat will be received from nearby heat sources.
- Employ suitable protective measures in locations where there is contact with water droplets, oil or welding spatter, etc.

Maintenance

Marning

 Perform maintenance according to the procedure in the instruction manual.

Incorrect handling will cause damage or malfunction to devices or equipment.

- 2. Removing the product
 - Shut off the fluid supply and release the fluid pressure in the system.
 - 2) Shut off the power supply.
 - 3) Dismount the product.
- 3. Low frequency operation

Switch valves at least once every 30 days to prevent malfunction. Also, in order to use it under the optimum state, conduct a regular inspection once a half year.

⚠ Caution

- 1. Filters and strainers
 - 1) Be careful regarding clogging of filters and strainers.
 - Replace filter elements after one year of use, or earlier if the pressure drop reaches 0.1 MPa.
 - Clean strainers when the pressure drop reaches 0.1 MPa.
 - 4) Exhaust the drain from an air filter periodically.
- 2. Storage

When not using for a long time (more than approx. one month) after use with water, thoroughly remove all moisture to prevent rust and deterioration of rubber materials, etc.






Be sure to read this before handling.

Refer to front matters 42 and 43 for Safety Instructions, and pages 17 to 19 for 2 Port Solenoid Valves for Fluid Control Precautions.

Replacing the Solenoid Coils



2 port valve




Press the clip in direction ① with a flat head screwdriver, etc., and remove it from the tube assembly groove.




Solenoid coil

Remove the cover in direction ②, and replace the solenoid coil.




Tube assembly groove



the clip into the tube assembly groove from direction ③. After inserting it into the groove, confirm the position and condition of the clip.







Inserted position

Inserted condition

O-ring
Plate
Wave washer

Solenoid coil

Fixed armature threads

After removing the socket with a wrench, etc., lift off the plate, wave washer and cover, and replace the coil assembly. After replacing the coil, first tighten the socket by hand while holding down the plate and wave washer, and then tighten it further with a torque of 0.8 to 1 N·m.

- * Precautions when attaching and removing the socket
- Be careful that the O-ring installed on the bottom (plate side) of the socket does not fall out or become chewed up, etc.
- Be sure to secure the body by wrench, etc., and tighten the socket within the tightening torque range given above. If the torque is applied excessively, there is a danger of damaging the threads.

VX2

VXD

VXZ VXE

VXP

VXR

VXH

VXF

VX3

VXA

VCH□ VDW

VQ

LVM

VCA

VCB

VCL

VCS VCW


263





Be sure to read this before handling.

Refer to front matters 42 and 43 for Safety Instructions, and pages 17 to 19 for 2 Port Solenoid Valves for Fluid Control Precautions.




Coil Type and Voltage Combinations

	and ronage of		
Voltage	Grommet / Tape winding	Faston terminal / Molded	Grommet / Molded
100 VAC	•	_	•
200 VAC	•	_	•
110 VAC	•	_	•
220 VAC	•	_	•
24 VDC	•	•	•
12 VDC	•	•	•
6 VDC	•	•	•
5 VDC	•	•	•
3 VDC	•	•	•


Note) To have a label on the cover, enter the part number below together with the coil part number.



• Clip part no. (2 port)




• Socket assembly part no. (3 port)



NPT

Piping to 3 Port Valve N.O. Port

⚠ Caution



When piping to an N.O. port, be sure to perform piping work while securing the socket by using wrench or other tool. Refer to back page 261 for other precautions related to piping.

Fluid Flow Direction

⚠ Caution

The maximum operating pressure differential differs depending on the flow direction of the fluid. If the pressure differential at each port exceeds the values in the table below, valve leakage may occur.



2 Port Valve

z i oit vaive					
Model	Orifice diameter (mm ø)	Max. operating pressure differential (MPa)			
	(11111119)	Pressure port 1	Pressure port 2 Note)		
VDW10	1	0.9	0.4		
VDW10	1.6	0.4	0.2		
	1.6	0.7	0.2		
VDW20	2.3	0.4	0.1		
	3.2	0.2	0.05		
	2	0.8	0.2		
VDW30	3	0.4	0.1		
	4	0.2	0.05		

Note) When applying pressure from port 2, be careful to avoid vibration and impacts, etc.



3 Port Valve

Model	Orifice diameter (mm ø)	Max. operating pressure differential (MPa)		
	(111111 9)	Pressure port 1	Pressure port 2, 3 Note 1)	
VDW200	1	0.9	0.3	
	1.6	0.7	0.1	
VDW300	2	0.8	0.2	
	3	0.4	0.1	
	4	0.2	0.05	

Note 1) Indicates the maximum operating pressure differential of pressure ports 2 and 3.

Note 2) When the port 2 pressure is in the higher pressure side, be careful to avoid vibration and impacts, etc.



Be sure to read this before handling.

Refer to front matters 42 and 43 for Safety Instructions, and pages 17 to 19 for 2 Port Solenoid Valves for Fluid Control Precautions.

Glossary

Pressure Terminology

1. Maximum operating pressure differential

This indicates the maximum pressure differential (inlet and outlet pressure differential) which can be allowed for operation with the valve closed or open. When the outlet pressure is 0 MPa, this becomes the maximum operating pressure.

2. Maximum operating pressure

This indicates the limit of pressure that can be applied inside the pipelines. (Line pressure)

(The pressure differential of the solenoid valve unit must be no more than the maximum operating pressure differential.)

3. Withstand pressure

The pressure which must be withstood without a drop in performance after returning to the operating pressure range (The value under the prescribed conditions).

Electrical Terminology


1. Surge voltage

A high voltage which is momentarily generated in the shut-off unit by shutting off the power.

2. Enclosure

A degree of protection defined in the "JIS C 0920: Waterproof test of electric machinery/appliance and the degree of protection against the intrusion of solid foreign objects".

Verify the degree of protection for each product.



First Characteristics:

Degrees of protection against solid foreign objects

	<u> </u>
0	Non-protected
1	Protected against solid foreign objects of 50 mm ø and greater
2	Protected against solid foreign objects of 12 mm ø and greater
3	Protected against solid foreign objects of 2.5 mm ø and greater
4	Protected against solid foreign objects of 1.0 mm ø and greater
5	Dust-protected
6	Dusttight

Second Characteristics: Degrees of protection against water

0	Non-protected	_
1	Protected against vertically falling water drops	Dripproof type 1
2	Protected against vertically falling water drops when enclosure tilted up to 15°	Dripproof type 2
3	Protected against rainfall when enclosure tilted up to 60°	Rainproof type
4	Protected against splashing water	Splashproof type
5	Protected against water jets	Low jetproof type
6	Protected against powerful water jets	Strong jetproof type
7	Protected against the effects of temporary immersion in water	Immersible type
8	Protected against the effects of continuous immersion in water	Submersible type

Example) IP65: Dusttight, Low jetproof type

"Low jetproof type" means that no water intrudes inside an equipment that could hinder from operating normally by means of applying water for 3 minutes in the prescribed manner. Take appropriate protection measures, since a device is not usable in an environment where a droplet of water is splashed constantly.

Other

1. Material

NBR: Nitrile rubber

FKM: Fluoro rubber = FPM — Trade name: Viton®,

DAI-EL™, etc.

EPDM: Ethylene propylene rubber = EPR

C37: Brass

SUS: Stainless steel

Faston Terminal

- 1. Faston™ is a trademark of Tyco Electronics Corp.
- 2. For electrical connection of the Faston terminal and molded coil, please use Tyco's "Amp/Faston connector/250 Series" or the equivalent.
- 3. When providing a body ground, please use the frame ground (M3.5).

(Recommended fastening bolt: M3.5, length 5 mm)

VX2

VXD

VXZ

VXE

VXP

VXR

VXH

VXF

VX3

VXA

VCH

VDW

VQ

LVM

VCA

VCB

VCL

vcs